## GJE-7020 - Clean Version of Marked-up Claims

1 (Original). A sensor for the detection of an analyte, which comprises a holographic element comprising a medium and a hologram disposed throughout the volume of the medium, wherein an optical characteristic of the hologram changes as a result of a variation of a physical property occurring throughout the volume of the medium, wherein the medium is obtainable by formation *in situ* in the presence of a pore-forming agent, wherein the agent is not present in the sensor or does not react with the analyte and the sensor.

- 2 (Currently amended). The sensor according to claim 1, wherein the physical property is the size of the medium.
- 3 (Currently amended). The sensor according to claim 1, wherein the optical characteristic is the reflectance, refractance or absorbance of the holographic element.
  - 4 (Currently amended). The sensor according to claim 1, wherein the agent is a gas.
  - 5 (Currently amended). The sensor according to claim 1, wherein the agent is a liquid.
  - 6 (Currently amended). The sensor according to claim 1, wherein the agent is water.
- 7 (Currently amended). The sensor according to claim 1, wherein the agent is a solid obtainable by extraction of the agent after the formation.
- 8 (Currently amended). The sensor according to claim 1, wherein the medium is a polymer obtainable by the polymerization of monomers in situ.
- 9 (Currently amended). The sensor according to claim 8, wherein the monomers include hydroxyethyl methacrylate.